



Hydraulic Jack Products Catalog

7K Bolt-On



**15K Direct
Weld**



**8K Self Con-
tained**



**8K Direct
Weld**



**15K Self Con-
tained**



STRONG & RELIABLE
RAM
PREMIUM
SERIES

15K Hydraulic Square Tube Weld On Jack



Ideal for use with commercial, construction and dump trailers.

- **Hydraulic application allows for fast manual free operation**
- **15,000lb support/12,000lb lift capacity jack**
- **Pivoting large 10" x 10" foot pad that works well on uneven surfaces**
- **Durable exterior grade black finish**
- **59" extended height, 34.8" retracted height**
- **24.2" travel distance**
- **Works well with hydraulic pump/power units up to 3200 psi extension, 1500 psi retraction pressure**
- **Hydraulic pump/power unit and control switch/remote pendant available (sold separately)**
- **HJ-15000-LEG direct weld jack**

STRONG & RELIABLE
RAM
PREMIUM
SERIES

15K Hydraulic Square Tube Bolt On Jack



Ideal for use with commercial, construction and dump trailers.

- **Hydraulic application allows for fast manual free operation**
- **15,000lb support/12,000lb lift capacity jack**
- **Pivoting large 10" x 10" foot pad that works well on uneven surfaces**
- **Durable exterior grade black finish**
- **59" extended height, 34.8" retracted height**
- **24.2" travel distance**
- **Works well with hydraulic pump/power units up to 3200 psi extension, 1500 psi retraction pressure**
- **Hydraulic pump/power unit and control switch/remote pendant available (sold separately)**
- **HJ-15000-LEG1 curb side jack has two 7.5" x 4" mounting tabs for easy bolt-on application (photo shown)**
- **HJ-15000-LEG2 street side jack has two 7.5" x 4" mounting tabs for easy bolt-on application**



15K Self Contained Hydraulic Square Tube Bolt On Jack

Ideal for use with horse/livestock as well as commercial and construction trailers.

- Hydraulic application allows for fast manual free operation**
- 15,000lb support/12,000lb lift capacity jack**
- Pivoting large 10" x 10" foot pad that works well on uneven surfaces**
- Durable exterior grade black finish**
- 59" extended height, 34.8" retracted height**
- 24.2" travel distance**
- Self contained hydraulic pump/power unit to operate jack, 1.6KW 12V DC motor, dual/double acting, 2.5 quarts usage volume reservoir, 3200 psi extension, 1500 psi retraction working pressure**
- Includes control switch/remote pendant with lock feature**
- HJ-15009 jack has two 7.5" x 4" mounting tabs for easy bolt-on application (replaces HJ-15008)**



15K Hydraulic Square Tube Weld On Jack w/In- egrated Counter Balance Valve



Ideal for use with commercial, construction and dump trailers.

- Patent pending integrated counter balance valve that eliminates drift/retraction when trailer is stationary and not in use**
- Hydraulic application allows for fast manual free operation**
- 15,000lb support/12,000lb lift capacity jack**
- Pivoting large 10"x10" foot pad that works well on uneven surfaces**
- Durable exterior grade black finish**
- 59" extended height, 34.8" retracted height**
- 24.2" travel distance**
- Works well with hydraulic pump/power units up to 3200 psi extension, 1500 psi retraction pressure**
- Hydraulic pump/power unit and control switch/remote pendant available (sold separately)**
- HJ-15070-LEG direct weld jack**



15K Hydraulic Square Tube Bolt On Jack w/In- egrated Counter Balance Valve



Ideal for use with commercial, construction and dump trailers.

- Patent pending integrated counter balance valve that eliminates drift/retraction when trailer is stationary and not in use**
- Hydraulic application allows for fast manual free operation**
- 15,000lb support/12,000lb lift capacity jack**
- Pivoting large 10" x 10" foot pad that works well on uneven surfaces**
- Durable exterior grade black finish**
- 59" extended height, 34.8" retracted height**
- 24.2" travel distance**
- Works well with hydraulic pump/power units up to 3200 psi extension, 1500 psi retraction pressure**
- Hydraulic pump/power unit and control switch/remote pendant available (sold separately)**
- HJ-15070-LEG1 curb side jack has two 7.5" x 4" mounting tabs for easy bolt on application (photo shown)**
- HJ-15070-LEG2 street side jack has two 7.5" x 4" mounting tabs for easy bolt on application**

STRONG & RELIABLE
RAM
PREMIUM
SERIES



15K Self Contained Hydraulic Square Tube Bolt On Jack w/Integrated Counter Balance

Valve

Ideal for use with horse/livestock as well as commercial and construction trailers.

- Patent pending integrated counter balance valve that eliminates drift/retraction when trailer is stationary and not in use**
- Hydraulic application allows for fast manual free operation**
- 15,000lb support/12,000lb lift capacity jack**
- Pivoting large 10" x 10" foot pad that works well on uneven surfaces**
- Durable exterior grade black finish**
- 59" extended height, 34.8" retracted height**
- 24.2" travel distance**
- Self contained hydraulic pump/power unit to operate jack, 1.6KW 12V DC motor, dual/ double acting, 2.5 quarts usage volume reservoir, 3200 psi extension, 1500 psi retraction working pressure**
- Includes control switch/remote pendant with lock feature**
- HJ-15079 jack has two 7.5" x 4" mounting tabs for easy bolt-on application (replaces HJ-15078)**



8K Hydraulic Square Tube Weld On Jack



Ideal for use with commercial, construction and dump trailers.

- Hydraulic application allows for fast manual free operation**
- 8,000lb support/8,000lb lift capacity jack**
- Pivoting 6" x 7.75" foot pad that works well on uneven surfaces**
- Durable exterior grade black finish**
- 52.75" extended height, 32.75" retracted height**
- 20" travel distance**
- Works well with hydraulic pump/power units up to 3200 psi extension, 1500 psi retraction pressure**
- Hydraulic pump/power unit and control switch/remote pendant available (sold separately)**
- HJ-8000-LEG direct weld jack**

STRONG & RELIABLE
RAM
PREMIUM
SERIES

8K Self Contained Hydraulic Square Tube Bolt On Jack

Ideal for use with horse/livestock as well as commercial and construction trailers.



- **Hydraulic application allows for fast manual free operation**
- **8,000lb support/8,000lb lift capacity jack**
- **Pivoting 8" x 8" foot pad that works well on uneven surfaces**
- **Durable exterior grade black finish**
- **57.5" extended height, 33.5" retracted height**
- **24" travel distance**
- **Self contained hydraulic pump/power unit to operate jack, 1.6KW 12V DC motor, dual/double acting, 2.5 quarts usage volume reservoir, 3200 psi extension, 1500 psi retraction working pressure**
- **Includes control switch/remote pendant with lock feature**
- **HJ-8009A jack has a 5" x 5" mounting plate with three .52" bolt holes (mounting hardware not included)**



7K Hydraulic Round Tube Bolt On Jack



Ideal for use with commercial, construction and dump trailers.

- Hydraulic application allows for fast manual free operation**
- 7,000lb support/7,000lb lift capacity jack**
- Pivoting 7" x 7" foot pad that works well on uneven surfaces**
- Durable exterior grade black finish**
- 47.5" extended height, 27.5" retracted height**
- 20" travel distance**
- Works well with hydraulic pump/power units up to 3200 psi extension, 1500 psi retraction pressure**
- Hydraulic pump/power unit and control switch/remote pendant available (sold separately)**
- HJ-7000A jack has a 5" x 5" mounting plate with three .52" bolt holes (mounting hardware not included)**