

**STRONG & RELIABLE**  
**RAM**  
**PREMIUM**  
SERIES

# Hydraulic Jack Products Catalog

**7K Bolt-On**



**8K Self Con-  
tained**



**15K Direct  
Weld**



**8K Direct  
Weld**



**15K Self Con-  
tained**



**STRONG & RELIABLE**  
**RAM**  
**PREMIUM**  
SERIES

# 15K Hydraulic Square Tube Weld On Jack



**Ideal for use with commercial, construction and dump trailers.**

- **Hydraulic application allows for fast manual free operation**

- **15,000lb support/12,000lb lift capacity jack**

- **Pivoting large 10"x10" foot pad that works well on uneven surfaces**

- **Durable exterior grade black finish**

- **59" extended height, 34.8" retracted height**

- **24.2" travel distance**

- **Works well with hydraulic pump/power units up to 3200 psi extension, 1500 psi retraction pressure**

- **Hydraulic pump/power unit and control switch/remote pendant available (sold separately)**

- **HJ-15000-LEG direct weld jack**

**STRONG & RELIABLE**  
**RAM**  
**PREMIUM**  
SERIES

# 15K Hydraulic Square Tube Bolt On Jack



**Ideal for use with commercial, construction and dump trailers.**

- **Hydraulic application allows for fast manual free operation**
- **15,000lb support/12,000lb lift capacity jack**
- **Pivoting large 10"x10" foot pad that works well on uneven surfaces**
- **Durable exterior grade black finish**
- **59" extended height, 34.8" retracted height**
- **24.2" travel distance**
- **Works well with hydraulic pump/power units up to 3200 psi extension, 1500 psi retraction pressure**
- **Hydraulic pump/power unit and control switch/remote pendant available (sold separately)**
- **HJ-15000-LEG1 curb side jack has two 7.5"x4" mounting tabs for easy bolt-on application (photo shown)**
- **HJ-15000-LEG2 street side jack has two 7.5"x4" mounting tabs for easy bolt-on application**

**STRONG & RELIABLE**  
**RAM**  
**PREMIUM**  
SERIES

# 15K Self Contained Hydraulic Square Tube Bolt On Jack

**Ideal for use with horse/livestock as well as commercial and construction trailers.**



- **Hydraulic application allows for fast manual free operation**

- **15,000lb support/12,000lb lift capacity jack**

- **Pivoting large 10" x 10" foot pad that works well on uneven surfaces**

- **Durable exterior grade black finish**

- **59" extended height, 34.8" retracted height**

- **24.2" travel distance**

- **Self contained hydraulic pump/power unit to operate jack, 500W 12V DC motor, dual/double acting, 2.5 quarts usage volume reservoir, 3200 psi extension, 1500 psi retraction working pressure**

- **Includes control switch/remote pendant with lock feature**

- **HJ-15009 jack has two 7.5" x 4" mounting tabs for easy bolt-on application (replaces HJ-15008)**

**STRONG & RELIABLE**  
**RAM**  
**PREMIUM**  
SERIES

## **15K Hydraulic Square Tube Weld On Jack w/In- tegrated Counter Balance Valve**



**Ideal for use with commercial, construction and dump trailers.**

- **Patent pending integrated counter balance valve that eliminates drift/retraction when trailer is stationary and not in use**
- **Hydraulic application allows for fast manual free operation**
- **15,000lb support/12,000lb lift capacity jack**
- **Pivoting large 10" x 10" foot pad that works well on uneven surfaces**
- **Durable exterior grade black finish**
- **59" extended height, 34.8" retracted height**
- **24.2" travel distance**
- **Works well with hydraulic pump/power units up to 3200 psi extension, 1500 psi retraction pressure**
- **Hydraulic pump/power unit and control switch/remote pendant available (sold separately)**
- **HJ-15070-LEG direct weld jack**

**STRONG & RELIABLE**  
**RAM**  
**PREMIUM**  
SERIES

# **15K Hydraulic Square Tube Bolt On Jack w/In- tegrated Counter Balance Valve**



**Ideal for use with commercial, construction and dump trailers.**

- **Patent pending integrated counter balance valve that eliminates drift/retraction when trailer is stationary and not in use**

- **Hydraulic application allows for fast manual free operation**

- **15,000lb support/12,000lb lift capacity jack**

- **Pivoting large 10" x 10" foot pad that works well on uneven surfaces**

- **Durable exterior grade black finish**

- **59" extended height, 34.8" retracted height**

- **24.2" travel distance**

- **Works well with hydraulic pump/power units up to 3200 psi extension, 1500 psi retraction pressure**

- **Hydraulic pump/power unit and control switch/remote pendant available (sold separately)**

- **HJ-15070-LEG1 curb side jack has two 7.5" x 4" mounting tabs for easy bolt on application (photo shown)**

- **HJ-15070-LEG2 street side jack has two 7.5" x 4" mounting tabs for easy bolt on application**

**STRONG & RELIABLE**  
**RAM**  
**PREMIUM**  
SERIES

# **15K Self Contained Hydraulic Square Tube Bolt On Jack w/Integrated Counter Balance Valve**

**Ideal for use with horse/livestock as well as commercial and construction trailers.**



- **Patent pending integrated counter balance valve that eliminates drift/retraction when trailer is stationary and not in use**

- **Hydraulic application allows for fast manual free operation**

- **15,000lb support/12,000lb lift capacity jack**

- **Pivoting large 10"x10" foot pad that works well on uneven surfaces**

- **Durable exterior grade black finish**

- **59" extended height, 34.8" retracted height**

- **24.2" travel distance**

- **Self contained hydraulic pump/power unit to operate jack, 500W 12V DC motor, dual/double acting, 2.5 quarts usage volume reservoir, 3200 psi extension, 1500 psi retraction working pressure**

- **Includes control switch/remote pendant with lock feature**

- **HJ-15079 jack has two 7.5"x4" mounting tabs for easy bolt-on application (replaces HJ-15078)**

**STRONG & RELIABLE**  
**RAM**  
**PREMIUM**  
SERIES

# 8K Hydraulic Square Tube Weld On Jack



**Ideal for use with commercial, construction and dump trailers.**

- **Hydraulic application allows for fast manual free operation**
- **8,000lb support/8,000lb lift capacity jack**
- **Pivoting 6"x7.75" foot pad that works well on uneven surfaces**
- **Durable exterior grade black finish**
- **52.75" extended height, 32.75" retracted height**
- **20" travel distance**
- **Works well with hydraulic pump/power units up to 3200 psi extension, 1500 psi retraction pressure**
- **Hydraulic pump/power unit and control switch/remote pendant available (sold separately)**
- **HJ-8000-LEG direct weld jack**

**STRONG & RELIABLE**  
**RAM**  
**PREMIUM**  
SERIES

# 8K Self Contained Hydraulic Square Tube Bolt On Jack

**Ideal for use with horse/livestock as well as commercial and construction trailers.**



- **Hydraulic application allows for fast manual free operation**
- **8,000lb support/8,000lb lift capacity jack**
- **Pivoting 8" x 8" foot pad that works well on uneven surfaces**
- **Durable exterior grade black finish**
- **57.5" extended height, 33.5" retracted height**
- **24" travel distance**
- **Self contained hydraulic pump/power unit to operate jack, 500W 12V DC motor, dual/double acting, 2.5 quarts usage volume reservoir, 3200 psi extension, 1500 psi retraction working pressure**
- **Includes control switch/remote pendant with lock feature**
- **HJ-8009A jack has a 5" x 5" mounting plate with three .52" bolt holes (mounting hardware not included)**

**STRONG & RELIABLE**  
**RAM**  
**PREMIUM**  
SERIES

# 7K Hydraulic Round Tube Bolt On Jack



**Ideal for use with commercial, construction and dump trailers.**

- **Hydraulic application allows for fast manual free operation**
- **7,000lb support/7,000lb lift capacity jack**
- **Pivoting 7" x 7" foot pad that works well on uneven surfaces**
- **Durable exterior grade black finish**
- **47.5" extended height, 27.5" retracted height**
- **20" travel distance**
- **Works well with hydraulic pump/power units up to 3200 psi extension, 1500 psi retraction pressure**
- **Hydraulic pump/power unit and control switch/remote pendant available (sold separately)**
- **HJ-7000A jack has a 5" x 5" mounting plate with three .52" bolt holes (mounting hardware not included)**