

12K and 25K Square Tube Jack Catalog

STRONG & RELIABLE
RAM
"The Best Overall Value In The Industry"




**12000lb
Jack**



**15000lb
Jack**



**20000lb
Jack**



**25000lb
Jack**



**12000lb
Jack**

12000lb Capacity Sidewind Square Tube Jack (Standard Series)



Ideal for use with commercial, construction, larger utility and many other types of trailers where heavy duty lifting is needed.

12,000lb Support Capacity / 10,000lb Lift Capacity

Direct weld single speed side wind jack

Durable exterior grade black finish

4" square outer tube construction

Grease zerks for easy greasing of jack

8"x8" welded on durable drop leg sand foot

Large octagon bushings on gear shaft for better function

Drop leg adds 12" of adjustability

TJD-12000SP-F2 12.5" travel distance, 28" jack height when fully retracted, pin to front, handle/handle clip and handle mounting hardware spring return drop leg jack

TJD-12000SP-F2NH 12.5" travel distance, 28" jack height when fully retracted, pin to front, without handle assembly spring return drop leg jack

TJD-12000SP-R2 12.5" travel distance, 28" jack height when fully retracted, pin to right, handle/handle clip and handle mounting hardware spring return drop leg jack

TJD-12000SP-R2NH 12.5" travel distance, 28" jack height when fully retracted, pin to right, without handle assembly spring return drop leg jack

TJD-12000-F2 12.5" travel distance, 28" jack height when fully retracted, pin to front, handle/handle clip and handle mounting hardware non-spring return drop leg jack

TJD-12000-F2NH 12.5" travel distance, 28" jack height when fully retracted, pin to front, without handle assembly non-spring return drop leg jack

TJD-12000-R2 12.5" travel distance, 28" jack height when fully retracted, pin to right, handle/handle clip and handle mounting hardware non-spring return drop leg jack

TJD-12000-R2NH 12.5" travel distance, 28" jack height when fully retracted, pin to right, without handle assembly non-spring return drop leg jack

- For installation instructions and additional information see our support section on our website <https://ramtrailerproducts.com/support/>

12000lb Capacity Sidewind Square Tube Two Speed Jack



Ideal for use with commercial, construction, larger utility and many other types of trailers where heavy duty lifting is needed.

**12,000lb Support Capacity / 10,000lb Lift Capacity
Direct weld two speed side wind jack**

Two speed gear box is within the width of the outer tube to eliminate interference issues at the front of the trailer

Durable exterior grade black finish

4" square outer tube construction

Grease zerks for easy greasing of jack

8"x8" welded on durable drop leg sand foot

Large octagon bushing on gear shaft for better function

Drop leg adds 12" of adjustability

TJD2SP-12900SP-F 12.5" travel distance, 28" jack height when fully retracted, pin to front, handle/handle clip and handle mounting hardware spring return drop leg jack

- For installation instructions and additional information see our support section on our website <https://ramtrailerproducts.com/support/>

12000lb Capacity Sidewind Square Tube Jack (12500 Model)



Ideal for use with commercial, construction, larger utility and many other types of trailers where heavy duty lifting is needed.

12,000lb Support Capacity / 10,000lb Lift Capacity

Direct weld single speed side wind jack

Durable exterior grade black finish

4" square outer tube construction

Grease zerks for easy greasing of jack

9"x9" welded on durable drop leg sand foot with weep holes for water drainage

**Large octagon bushings on gear shaft for better function
Drop leg adds 12" of adjustability**

TJD-12500SP-F2 12.5" travel distance, 28" jack height when fully retracted, pin to front, handle/handle clip and handle mounting hardware spring return drop leg jack (available special order upon request)

TJD-12500SP-F2NH 12.5" travel distance, 28" jack height when fully retracted, pin to front, without handle assembly spring return drop leg jack (available special order upon request)

TJD-12500SP-R2 12.5" travel distance, 28" jack height when fully retracted, pin to right, handle/handle clip and handle mounting hardware spring return drop leg jack (available special order upon request)

TJD-12500SP-R2NH 12.5" travel distance, 28" jack height when fully retracted, pin to right, without handle assembly spring return drop leg jack (available special order upon request)

- For installation instructions and additional information see our support section on our website <https://ramtrailerproducts.com/support/>

12000lb Capacity Sidewind Square Tube Jack (Select Series)



Ideal for use with commercial, construction, larger utility and many other types of trailers where heavy duty lifting is needed.

12,000lb Support Capacity / 10,000lb Lift Capacity

Direct weld single speed side wind jack

Durable exterior grade black finish

4" square outer tube construction

Welded belly band on bottom of outer tube for added strength

Grease zerks for easy greasing of jack

8"x8" welded on durable drop leg sand foot

Large octagon bushings on gear shaft for better function

Drop leg adds 12" of adjustability

TJD-12020SP-F2 12.5" travel distance, 28" jack height when fully retracted, pin to front, handle/handle clip and handle mounting hardware spring return drop leg jack

TJD-12020SP-F2NH 12.5" travel distance, 28" jack height when fully retracted, pin to front, without handle assembly spring return drop leg jack

TJD-12020SP-R2 12.5" travel distance, 28" jack height when fully retracted, pin to right, handle/handle clip and handle mounting hardware spring return drop leg jack

TJD-12020SP-R2NH 12.5" travel distance, 28" jack height when fully retracted, pin to right, without handle assembly spring return drop leg jack

- For installation instructions and additional information see our support section on our website <https://ramtrailerproducts.com/support/>

12000lb Capacity Topwind Square Tube Jack



Ideal for use with commercial, construction, larger utility and many other types of trailers where heavy duty lifting is needed.

12,000lb Support Capacity / 10,000lb Lift Capacity

Direct weld single speed top wind jack

Durable exterior grade black finish

4" square outer tube construction

Grease zerk for easy greasing of jack

8"x8" welded on durable drop leg sand foot

Drop leg adds 12" of adjustability

TJD-12000TWSP-R 12.5" travel distance, 26" jack height when fully retracted, pin to right, handle/handle clip and handle mounting hardware spring return drop leg jack

- For installation instructions and additional information see our support section on our website <https://ramtrailerproducts.com/support/>



12000lb Capacity Topwind Square Tube Jack (Claw Handle Version)



Ideal for use with commercial, construction, larger utility and many other types of trailers where heavy duty lifting is needed.

12,000lb Support Capacity / 10,000lb Lift Capacity

Direct weld single speed top wind jack

Durable exterior grade black finish

Comfortable claw knob and clear zinc solid bar handle that can be folded away when not in use

4" square outer tube construction

Grease zerk for easy greasing of jack

8"x8" welded on durable drop leg sand foot

Drop leg adds 12" of adjustability

TJD-12003TWSP-R 12.5" travel distance, 26" jack height when fully retracted, pin to right, handle/handle clip and handle mounting hardware spring return drop leg jack (available special order upon request)

- For installation instructions and additional information see our support section on our website <https://ramtrailerproducts.com/support/>



15K SQUARE TUBE TRAILER JACK

Ideal for commercial, construction and other types of trailers where heavy duty lifting is needed.



TJD2SP-15000SP-F

TJD-15000SP-F

- 15,000lbs. support capacity
12,000lbs. lift capacity
- Heavy duty 4-3/8" outer tube construction
- Durable black powder coat finish
- Includes large octagon brass bushings for even better function
- 12-1/2" travel distance
- Spring return drop leg adds 12" of additional adjustability
- Grease zerks for easy greasing of jack
- 9" x 9" foot plate with weep holes for water drainage
- Handle assembly included
- TJD-15000SP-F pin to front single speed jack
- TJD-15000SP-R pin to right single speed jack
- TJD2SP-15000SP-F pin to front two speed jack

"The Best Overall Value In The Industry"

www.ramtrailerproducts.com



20K DUAL PIN JACK

Ideal for commercial, construction and other types of trailers where heavy duty lifting is needed.



TJDDP2SP-20000SP-F

TJDDP-20000SP-F

- Large dual pin foot release for easy activation of the spring return drop leg
- 20,000 lb. support capacity, 12,000 lb. lift capacity
- Heavy duty 4-3/8" outer tube construction
- Durable black powder coat finish
- Includes large octagon brass bushings for even better function
- 13-1/2" travel distance
- Spring return drop leg adds 12" of additional adjustability
- Grease zerks for easy greasing of jack
- 9" x 9" foot plate with weep holes for water drainage
- Handle assembly included
- TJDDP-20000SP-F Dual pin single speed jack
- TJDDP2SP-20000SP-F Dual pin two speed jack

"The Best Overall Value In The Industry"

www.ramtrailerproducts.com

WELD ON TWO SPEED SQUARE TUBE JACK



TJD2SP-25100-F



- Improved interior design that enhances operation of jack.
- Heavy duty cross shaft weldment and brass bushings for durability and superior lift
- Eased/bevel on shaft end eliminates sharp metal edge
- Two speed model comes standard with handle, handle mounting hardware and weld on clip
- Two speed model includes a welded belly band on the bottom of the outer tube for additional strength to perform those heavy duty applications
- Durable black powder coat finish on inner and outer tubes
- Comes standard with grease zerks for easy greasing of jack
- Drop leg adds 12" of additional adjustability

LANDING GEAR SYSTEM

Product Code	Support Capacity (lbs)	Lift Capacity (lbs)	Handle Style	Travel Distance	Jack Height (fully retracted)	Description	Unit Weight (lbs)
TJD2SP-25100-F	25,000	25,000	Sidewind	12.5"	26.5"	Pin to front, handle, mounting hardware and clip included	105
TJD-25100-F	25,000	25,000	Sidewind	12.5"	26.5"	Pin to front, single speed companion jack when used in tandem, handle not included	82
TJD2SPSET-50100-F	50,000 Total (25,000/leg)	50,000 Total (25,000/leg)	Sidewind	12.5	26.5"	Includes TJDSP-25100-F and TJD-25100-F above	187

"The Best Overall Value In The Industry"

www.ramtrailerproducts.com